



全国中文核心期刊 中国科技核心期刊

RCCSE中国核心学术期刊

ISSN 0529-1542

CN 11-1982/S

植物保护

Plant Protection

第41卷

2015

2



ISSN 0529-1542



万方数据



主办

中国植物保护学会

China Society of Plant Protection

中国农业科学院植物保护研究所

Institute of Plant Protection, CAAS

目次

特约稿件

- 2015年全国三大谷类作物重大病虫害发生趋势预报
..... 全国农业技术推广服务中心(1)

专论与综述

- 气候变暖对农业害虫及其天敌的影响
..... 张花龙,杨念婉,李有志,等(5)
- 苹果小吉丁虫综合防控研究进展
..... 崔晓宁,刘德广,刘爱华(16)

研究报告

- 淡紫灰链霉菌除草活性物质对苘麻叶片生理生化影响
..... 魏松红,杨亚飞,李平生,等(24)
- 苜蓿夜蛾 *hsp90* 基因 cDNA 序列的克隆与表达研究
..... 张欢,刘洪娟,高艳玲,等(29)
- 湖南长沙棉田节肢动物群落特征、动态及优势种生态位
..... 袁准,李毅,李育强,等(37)
- 低温预处理麦长管蚜对吡虫啉致死效应的影响
..... 裴秀芹,刘慧平,赵飞,等(44)
- 沉默 GSTs 基因影响棉铃虫对甲氧虫酰肼的敏感性
..... 徐希宝,张靖,芮昌辉(49)
- 二斑叶螨混合抗性种群相对适合度的研究
..... 周兴隆,杨顺义,沈慧敏(55)
- 湖南省部分地区棉田牛筋草(*Eleusine indica*)对精喹禾灵的抗性
..... 宗涛,李洁,刘祥英,等(58)
- 毒杀南方根结线虫的木霉种类鉴定及活性研究
..... 焦俊,韩冰洁,王媛媛,等(64)
- 椰子木蛾幼虫龄期的划分 杨崇慧,阎伟,李朝绪,等(70)
- 杜仲梦尼夜蛾发育历期及取食行为研究
..... 赵阳,朱景乐,李芳东,等(75)
- Cry9Aa3 蛋白对小菜蛾和亚洲玉米螟的最小活性区研究
..... 方龙发,王小奇,束长龙,等(80)
- 小麦纹枯病菌中的 dsRNA 及其与菌株生物学特性的相关性
..... 张涛,杜文珍,张春燕,等(86)
- 一种新油茶炭疽病原多基因序列鉴定
..... 李河,周国英,徐建平(92)
- 山东泰安甜樱桃“花叶病”树体症状观察及病毒检测
..... 王文文,宗晓娟,魏海蓉,等(97)

实验方法与技术

- 马铃薯 4 种病毒多重 PCR 检测体系的建立
..... 庞博,刘秀丽,张金文,等(102)
- 番茄斑萎病毒 4 种检测方法比较
..... 赵巍巍,杨家强,周小毛,等(108)
- 双重 PCR 检测马铃薯晚疫病和环腐病方法的建立
..... 刘秀丽,庞博,张金文,等(114)
- 甘蔗抗褐锈病基因 *Bru1* 分子检测体系的建立与应用
..... 李文凤,王晓燕,黄应昆,等(120)
- 超高效液相色谱-串联质谱法检测棉花和土壤中呋虫胺残留
..... 张雯雯,徐军,张盈,等(125)

研究简报

- 反枝苋对咪唑乙烟酸抗性水平及分子机制
..... 陈金奕,张朝贤,黄红娟,等(130)
- 湖南省南方水稻黑条矮缩病毒分离物组分 S10 编码的 ORF
序列克隆与分析 李兴华,凌晓曦,张松柏,等(135)

茶刺蛾幼虫的发育起点温度和有效积温

- 唐美君,郭华伟,殷坤山(139)
- 黄瓜绿斑驳花叶病毒山西西瓜分离物外壳蛋白基因序列分析
..... 杜江,成媛媛,牛二波,等(142)
- 金线兰灰霉病发生初报 章淑玲,林谷园,欧高政(146)

调查研究

- 河南冬枣和葡萄上绿盲蝽种群的节性发生规律
..... 金银利,封洪强,张言芳,等(149)
- 云南省德宏州小麦条锈菌越冬调查初报
..... 张培花,王春丽,刘林,等(154)
- 我国北方部分苹果主产区病毒病的发生与检测
..... 郝璐,叶婷,陈善义,等(158)
- 菜用大豆品种资源对大豆花叶病毒病的抗性评价
..... 宋荣浩,顾卫红,马坤,等(162)
- 外引玉米种质对 3 种玉米叶斑病的抗性鉴定与评价
..... 董怀玉,薛玉梅,王丽娟,等(167)
- 苹果树腐烂病斑季节扩展动态
..... 刘伟,胡同乐,王树桐,等(171)
- 6 个不同水稻品种对异丙甲草胺的敏感性差异
..... 赵建,胡谢馨,刘晴,等(176)
- 不同地区灰飞虱对吡虫啉的抗性
..... 刘淑华,施必富,葛赏书,等(181)
- 山西省二点委夜蛾发生规律
..... 陆俊姣,董晋明,赵荣华,等(187)
- 番茄抗黄化曲叶病毒病品种在广西南宁的自然抗病性表现
..... 徐鹏超,李战彪,秦碧霞,等(191)
- 不同油茶种和品种对炭疽病的抗性观察
..... 杨华,赵丹阳,秦长生,等(195)

技术与应用

- 人工释放普通草蛉田间防治棉蚜效果研究
..... 丁瑞丰,朱晓华,阿克旦·吾外土,等(200)
- 丙草胺防治直播稻田杂草稻的技术研究
..... 张彬,张自常,金燕,等(205)
- 不同类型药剂对水稻褐飞虱的活性及复配增效作用
..... 王昱莎,邹啸文,梁立成,等(210)
- 春雷霉素和噁霉酮对番茄斑疹病菌联合毒力及防病效果
..... 苗则彦,赵杨,李颖,等(216)
- 几种除草剂对胡麻田裸燕麦(莠麦)、皮燕麦的防除效果
..... 牛树君,刘敏艳,李玉奇,等(220)

有害生物动态

- 桃树黄萎病在我国首次发生报道
..... 何苏琴,荆卓琼,白滨,等(226)
- 河南北部稻蛀茎夜蛾为害夏玉米苗初报
..... 黄建荣,封洪强(231)
- 我国对草莓炭疽根腐病的重视程度亟待提高
..... 张国珍(234)

- 封面照片 白斑赭弄蝶(*Ochlodes subhyalina* Bremer et Grey)
..... 王音摄
- 广告 中保科技(封2);燕化永乐(封3);克胜(封底);好收成
(插1);陕西上格(插2)
- 其他 征订启事(233)

CONTENTS

- Occurrence trend forecast of the major diseases and insect pests of main crops in China in 2015 National Agro-Technical Extension and Service Centre(1)
- Impacts of global warming on agricultural pests and its natural enemies Zhang Hualong, Yang Nianwan, Li Youzhi, et al(5)
- Research progress in integrated management of *Agrilus mali* Cui Xiaoning, Liu Deguang, Liu Aihua(16)
- Physiological effects of the substances with herbicidal activity from *Streptomyces lavendulae* on *Abutilon theophrasti* leaves Wei Songhong, Yang Yafei, Li Pingsheng, et al(24)
- cDNA cloning and expression of *hsp90* from *Heliothis virescens* Zhang Huan, Liu Hongjuan, Gao Yanling, et al(29)
- First report of *Sesamia inferens* (Walker) (Lepidoptera: Noctuidae) attacking summer corn seedlings in northern Henan Yuan Zhun, Li Yi, Li Yuqiang, et al(37)
- The influence of low-temperature pretreatment of *Sitobion miscanthi* on the lethal effect of imidacloprid Pei Xiuqin, Liu Huiping, Zhao Fei, et al(44)
- Effects of silencing GSTs genes on the susceptibility of *Helicoverpa armigera* to methoxyfenozide Xu Xibao, Zhang Jing, Rui Changhui(49)
- Relative fitness of *Tetranychus urticae* with multiple resistance Zhou Xinglong, Yang Shunyi, Shen Huimin(55)
- Resistance of *Eleusine indica* to quizalofop-P-ethyl in some cotton fields in Hunan Province Zong Tao, Li Jie, Liu Xiangying, et al(58)
- Identification of *Trichoderma* and its toxicity to *Meloidogyne incognita* Jiao Jun, Han Bingjie, Wang Yuanyuan, et al(64)
- Division of larval instars of the coconut black-headed caterpillar, *Opisina arenosella* Yang Chonghui, Yan Wei, Li Chaoxu, et al(70)
- Developmental duration and feeding behavior of *Orthosia songi* Zhao Yang, Zhu Jingle, Li Fangdong, et al(75)
- The minimal active fragment of the Cry9Aa3 toxin against *Plutella xylostella* and *Ostrinia furnacalis* Fang Longfa, Wang Xiaoqi, Shu Changlong, et al(80)
- The double-stranded RNAs and their association with the biological characteristics of *Rhizoctonia cerealis* Zhang Tao, Du Wenzhen, Zhang Chunyan, et al(86)
- Pathogen identification of a new anthracnose of *Camellia oleifera* in China based on multiple gene sequences Li He, Zhou Guoying, Xu Jianping(92)
- Symptom and detection of the virus causing mosaic disease in sweet cherry trees in Tai'an, Shandong Wang Wenwen, Zong Xiaojuan, Wei Hairong, et al(97)
- Establishment of multiplex PCR for four potato viruses Pang Bo, Liu Xiuli, Zhang Jinwen, et al(102)
- Comparison of four methods for detecting *Tomato spotted wilt virus* Zhao Weiwei, Yang Jiaqiang, Zhou Xiaomao, et al(108)
- Development of duplex PCR assay for detection of *Phytophthora infestans* and *Clavibacter michiganensis* subsp. *sepedonicum* Liu Xiuli, Pang Bo, Zhang Jinwen, et al(114)
- Establishment and application of molecular detection approach for sugarcane brown rust resistance gene *Br1* Li Wenfeng, Wang Xiaoyan, Huang Yingkun, et al(120)
- Determination of dinotefuran residues in cottons and soils using UPLC-MS/MS Zhang Wenwen, Xu Jun, Zhang Ying, et al(125)
- Imazethapyr resistance and its molecular resistance mechanism in *Amaranthus retroflexus* L. Chen Jinyi, Zhang Chaoxian, Huang Hongjuan, et al(130)
- Sequences cloning and analysis of ORF of fragment S10 in Hunan isolates of *Southern rice black-streaked dwarf virus* Li Xinghua, Ling Xiaoxi, Zhang Songbai, et al(135)
- Developmental threshold temperature and effective accumulated temperature of *Iragoides fasciata* larvae Tang Meijun, Guo Huawei, Yin Kunshan(139)
- Sequence analysis of CP gene of *Cucumber green mottle mosaic virus* isolate infecting watermelon from Shanxi Province Du Jiang, Cheng Yuanyuan, Niu Erbo, et al(142)
- A preliminary report on occurrence of gray mold on *Anoectochilus roxburghii* Zhang Shuling, Lin Guyuan, Ou Gaozheng(146)
- Seasonal population dynamics of *Apolygus lucorum* on winter jujube and grape trees in Henan Province Jin Yinli, Feng Hongqiang, Zhang Yanfang, et al(149)
- The preliminary report on over-summering of *Puccinia striiformis* f. sp. *tritici* in Dehong Prefecture Zhang Peihua, Wang Chunli, Liu Lin, et al(154)
- Occurrence and detection of virus diseases in some major apple-producing regions in northern China Hao Lu, Ye Ting, Chen Shanyi, et al(158)
- Identification of *Soybean mosaic virus* resistance in vegetable soybean Song Ronghao, Gu Weihong, Ma Kun, et al(162)
- Resistance identification and evaluation of introduced maize germplasms to 3 kinds of maize leaf spot Dong Huaiyu, Xue Yumei, Wang Lijuan, et al(167)
- The seasonal lesion expansion dynamics of apple tree *Valsa* canker Liu Wei, Hu Tongle, Wang Shutong, et al(171)
- Sensitivities of six different rice varieties to metolachlor Zhao Jian, Hu Xiexin, Liu Qing, et al(176)
- Imidacloprid resistance in *Laodelphax striatellus* (Fallén) populations from different areas in China Liu Shuhua, Shi Bifu, Ge Shangshu, et al(181)
- Occurrence of *Aethis lepigone* in Shanxi Province Lu Junjiao, Dong Jinming, Zhao Ronghua, et al(187)
- Natural resistance of TYLCD-resistant tomato varieties in Nanning, Guangxi Xu Pengchao, Li Zhanbiao, Qin Bixia, et al(191)
- Resistance of different species and cultivars of oil-tea *Camellia* to *Colletotrichum gloeosporioides* Yang Hua, Zhao Danyang, Qin Changsheng, et al(195)
- Control effects on *Aphis gossypii* (Glover) by releasing *Chrysoperla carnea* (Stephens) in cotton field Ding Ruifeng, Zhu Xiaohua, Akekan · Wuwaishi, et al(200)
- Control technology of pretilachlor for weedy rice in direct-seeded rice Zhang Bin, Zhang Zichang, Jin Yan, et al(205)
- Toxicity and synergistic activity of different types of insecticides against *Nilaparvata lugens* (Stål) Wang Yusha, Zou Xiaowen, Liang Licheng, et al(210)
- Co-toxicity of kasugamycin and benziotiazolinone to *Pseudomonas syringae* pv. *tomato* and its control effect Miao Zeyan, Zhao Yang, Li Ying, et al(216)
- Control effects of herbicides on *Avena nuda* and *A. sativa* in linseed field Niu Shujun, Liu Minyan, Li Yuqi, et al(220)
- The first report of peach trees verticillium wilt caused by *Verticillium dahliae* in China He Suqin, Jing Zhuoqiong, Bai Bin, et al(226)
- First report of *Sesamia inferens* (Walker) (Lepidoptera: Noctuidae) attacking summer corn seedlings in northern Henan Huang Jianrong, Feng Hongqiang(231)
- Urgent attention to anthracnose root rot of strawberry is highly needed in China Zhang Guozhen(234)



作物科技 更多收获

【 新农业 新思维 新发展 】



关注克胜 收获更多

江苏克胜集团股份有限公司

地址:江苏建湖盐淮路888号 电话:0515-86263305
传真:0515-86269816 网址:www.kesheng.com

总发行处:北京市报刊发行局 订阅处:全国各地邮局 国内代号: 2-483 国外代号: BM450 国内定价: 30元