


红外与激光工程

INFRARED AND LASER ENGINEERING

2017

Vol.46 No.10



本期特约报告

FT-CCD纳秒脉冲激光毁伤效应

张震

基于像素结构的不同,相对于IT-CCD,在脉冲激光辐照下,FT-CCD多晶硅电极先于硅衬底受损的概率较高。在本文1064nm 8ns 脉冲激光对FT50M型FT-CCD的1-on-1辐照实验中,多晶硅先受到损伤造成了辐照点单侧黑线的现象。该现象从未被之前的CCD激光毁伤效应研究文献所报道,丰富了对CCD图像传感器激光毁伤效应的认识。

中国航天科工集团公司
《红外与激光工程》编辑部

目次

(加★文章为本期推荐优秀论文)

❖ 特约专栏—“光电器件激光辐照效应” ❖

FT-CCD 的纳秒脉冲激光毁伤效应	张震,徐作冬,程德艳,等	1003001
激光脉冲串对电荷耦合器件积累损伤效应研究	邵俊峰,郭劲,王挺峰,等	1003002
线阵碲镉汞探测器对纳秒脉冲激光的反常响应规律及机理	张月,王睿,杨海峰	1003003
光电探测器上多组圆环条纹的现象与机理	王彦斌,陈前荣,朱荣臻,等	1003004
基于微通道板的像增强器增益饱和效应研究	谢运涛,张玉钧,王玺,等	1003005
连续激光供能单结 GaAs 光电池输出特性仿真	孙浩,周大勇,张宏超,等	1003006

❖ 激光器技术 ❖

★914 nm 共振泵浦高效率主动调 Q Nd:YVO ₄ 自拉曼激光器(英文)	丁欣,赵岑,姜鹏波,等	1005001
基于 REC 技术的激光器阵列传感系统设计	秦逸轩,倪屹,姚辉轩	1005002
千瓦级传导冷却半导体激光器阵列热特性	朱其文,张普,吴的海,等	1005003
石墨烯锁模的全保偏光纤激光器	陈恺,祝连庆,娄小平,等	1005004
500 W 级半导体激光器光纤耦合输出模块设计	吴华玲,郭林辉,余俊宏,等	1005005
采用可调 Mach-Zehnder 滤波的波长可切换掺铒光纤激光器	丁香栋,何巍,姚齐峰,等	1005006
啁啾光纤光栅在硫系光纤激光器中的色散补偿	曾江辉,张培晴,张倩,等	1005007

❖ 激光技术及应用 ❖

基于星载激光测高仪多模式回波的激光测距修正值分析	李少辉,周辉,倪国强	1006001
采空区三维激光扫描空间分辨率增强方法	余乐文,张达	1006002
基于远场光学的高分辨率激光探针系统研究	郑重,吕瑶,李文成	1006003
弧形悬垂实体结构激光熔覆成形	邓志强,石世宏,周斌,等	1006004
交叉蝴蝶结纳米结构的 Fano 共振效应用于表面增强相干反斯托克斯拉曼散射的理论研究		
.....	张祖银,朱海军,宋国峰	1006005

❖ 激光雷达技术 ❖

纯转动拉曼激光雷达探测北京地区近地面大气温度	尚震,谢晨波,王邦新,等	1030001
单波长发射五通道接收激光雷达系统研制	陶宗明,单会会,张辉,等	1030002
成像激光雷达测量大气能见度实验研究	孙国栋,秦来安,程知,等	1030003
荧光偏振短距激光雷达测量生物战剂/气溶胶	杨辉,赵雪松,孙彦飞,等	1030004

基于速度结构函数的多普勒激光雷达低空湍流预警算法 熊兴隆,韩永安,蒋立辉,等 1030005

❖光电测量❖

采用光束扫描的透射仪测量光路自动准直系统 周树道,马忠良,王 敏,等 1017001

基于粒子群算法的星敏感器光学误差标定方法 张 尧,王宏力,陆敬辉,等 1017002

基于白光 LED 的室内行走目标三维定位方法 金 杉,金志刚 1017003

基于孔径分割的全斯托克斯测量仪的误差分析 常凌颖,赵俊香,郑爱国,等 1017004

气浮实验台位姿视觉测量方法 刘宇航,顾营迎,李 昂,等 1017005

视场网状分区域建模的星敏感器标定方法 金 荷,毛晓楠,孙少勇,等 1017006

基于数字天顶仪的时间标定方法 刘先一,张志利,周召发,等 1017007

用于平响应 X 光探测器的复合滤片参数优化 车兴森,侯立飞,杨铁濛,等 1017008

Fe-Mn-Si 形状记忆合金涂层残余应力模拟与测量(英文) 鞠 恒,林成新,张佳琪,等 1017009

结合分层处理的激光光条亚像素中心提取方法 刘 巍,张 洋,高 鹏,等 1017010

基于空间位置的增量式光电编码器误差检测系统 卢新然,宋 路,万秋华,等 1017011

❖红外技术及应用❖

基于分时共享方案的 640×512 红外读出电路设计 梁清华,蒋大钊,陈洪雷,等 1004001

复杂背景下玫瑰扫描红外探测系统作用距离评估方法 李文通,丁 雯,朱 牧 1004002

背景杂波对红外偏振成像系统作用距离的影响 梁建安,赵万利,王 霞,等 1004003

3~5 μm 红外天空亮度测量的多元定标模型 赵志军,许方宇,高 玲,等 1004004

CFRP 层板缺陷红外热波雷达成像检测概率研究 龚金龙,盖志刚,解维浩,等 1004005

❖光通信与光传感❖

受光束漂移影响的深空上行激光通信链路信道容量 廖慧兮,徐宝碧,黄晓峰,等 1022001

星间光通信无信标捕跟瞄技术 国爱燕,高文军,周傲松,等 1022002

基于 3 dB 光纤耦合器构成的 Mach-Zehnder 光纤干涉仪稳定控制系统 叶全意,高英杰,田 锦,等 1022003

无人机对地光通信临界调制速率锁定 刁红翔,常丽敏,唐雁峰 1022004

QPSK 调制光通信中混合噪声的功率谱性能与误码率 陈 牧,柯熙政 1022005

❖光谱探测与分析❖

傅里叶变换光谱仪探测器非线性的影响及其校正方法 杨敏珠,邹曜璞,张 磊,等 1023001

X 射线荧光光谱法检验橡胶鞋底的研究 姜 红,范 烨,王嘉庚,等 1023002

❖生物光子学❖

肺癌细胞及其聚苯乙烯微球模型的光散射研究(英文) 林晓钢,朱 濠,翁凌冬,等 1033001

Contents

❖ Invited paper– Laser irradiation effect of photoelectric device ❖

Effect of FT–CCD damaged by nanosecond pulse laser	Zhang Zhen, Xu Zuodong, Chen Deyan, et al. 1003001
Damage accumulation effects of multiple laser pulses irradiated on charged coupled device	Shao Junfeng, Guo Jin, Wang Tingfeng, et al. 1003002
Abnormal response law and mechanism of linear array HgCdTe detector irradiated by nanosecond pulse laser	Zhang Yue, Wang Rui, Yang Haifeng 1003003
Phenomenon and mechanism of multi–group circular fringes on the optoelectric detector	Wang Yanbin, Chen Qianrong, Zhu Rongzhen, et al. 1003004
Research on the gain saturation effect of an image intensifier based on microchannel plate	Xie Yuntao, Zhang Yujun, Wang Xi, et al. 1003005
Simulation of single–junction GaAs photovoltaic cell output characteristics by continuous wave laser irradiation	Sun Hao, Zhou Dayong, Zhang Hongchao, et al. 1003006

❖ Laser technology ❖

High efficiency actively Q–switched Nd:YVO ₄ self–Raman laser under 914 nm in–band pumping	Ding Xin, Zhao Cen, Jiang Pengbo, et al. 1005001
Design of laser array based on REC technology	Qin Yixuan, Ni Yi, Yao Huixuan 1005002
Thermal characteristics of kW–level conduction–cooled semiconductor laser array	Zhu Qiwen, Zhang Pu, Wu Dihai, et al. 1005003
All–polarization–maintaining fiber laser mode–locked by graphene	Chen Kai, Zhu Lianqing, Lou Xiaoping, et al. 1005004
Design of 500 W–output fiber–coupled diode laser module	Wu Hualing, Guo Linhui, Yu Junhong, et al. 1005005
Switchable erbium–doped fiber laser utilizing tunable Mach–Zehnder filter	Ding Xiangdong, He Wei, Yao Qifeng, et al. 1005006
Dispersion compensation of chirped fiber grating in chalcogenide fiber laser	Zeng Jianghui, Zhang Peiqing, Zhang Qian, et al. 1005007

❖ Laser technology and application ❖

Analysis on corrected value of laser ranging based on multiple mode waveform of satellite laser altimeter	Li Shaohui, Zhou Hui, Ni Guoqiang 1006001
Spatial resolution enhancement method of cavity 3D laser scanning	Yu Lewen, Zhang Da 1006002
High–resolution LIBS system based on far–field optics	Zheng Zhong, Lv Yao, Li Wencheng 1006003
Laser cladding forming of arcuate cantilevered entity part	Deng Zhiqiang, Shi Shihong, Zhou Bin, et al. 1006004
Engineering of Fano resonance in a cross bowtie nanostructure for surface enhanced coherent anti–Stokes Raman scattering	Zhang Zuyin, Zhu Haijun, Song Guofeng 1006005

❖ Laser radar technology ❖

Pure rotational Raman lidar measurements of atmospheric temperature near ground in Beijing	Shang Zhen, Xie Chenbo, Wang Bangxin, et al. 1030001
Development of lidar system based on one wavelength emission and five channel receivers	Tao Zongming, Shan Huihui, Zhang Hui, et al. 1030002
Experimental research of atmospheric visibility measured by imaging lidar	Sun Guodong, Qin Laian, Cheng Zhi, et al. 1030003
Bio–agents and aerosol measurement by fluorescence and depolarization short–distance lidar	Yang Hui, Zhao Xuesong, Sun Yanfei, et al. 1030004
Doppler lidar alerting algorithm of low–level turbulence based on velocity structure function	Xiong Xinglong, Han Yong'an, Jiang Lihui, et al. 1030005

❖ Photoelectric measurement ❖

- Automatic alignment system for measuring optical path of transmittance meter using light beam scanning Zhou Shudao, Ma Zhongliang, Wang Min, et al. 1017001
- Calibration method of optical errors for star sensor based on particle swarm optimization algorithm Zhang Yao, Wang Hongli, Lu Jinghui, et al. 1017002
- 3D positioning method of indoor walking target based on white light LED Jin Shan, Jin Zhigang 1017003
- Error analysis of the full-Stokes measuring instrument based on aperture division Chang Lingying, Zhao Junxiang, Zheng Aiguo, et al. 1017004
- Pose visual measurement of the flotation experiment platform Liu Yuhang, Gu Yingying, Li Ang, et al. 1017005
- Star tracker calibration method based on the model of net zone-division field of view Jin He, Mao Xiaonan, Sun Shaoyong, et al. 1017006
- Time calibration method based on digital zenith camera Liu Xianyi, Zhang Zhili, Zhou Zhaofa, et al. 1017007
- Parameter optimization of compound filters applied for flat-response X-ray detectors Che Xingsen, Hou Lifei, Yang Yimeng, et al. 1017008
- Residual stress simulation and measurement of Fe-Mn-Si shape memory alloy coating Ju Heng, Lin Chengxin, Zhang Jiaqi, et al. 1017009
- Sub-pixel center extraction method of laser stripe center based on hierarchical processing Liu Wei, Zhang Yang, Gao Peng, et al. 1017010
- Error measurement system of incremental photoelectric encoder based on space position Lu Xinran, Song Lu, Wan Qiuhua, et al. 1017011

❖ Infrared technology and application ❖

- Design of 640×512 infrared ROIC based on time-sharing method Liang Qinghua, Jiang Dazhao, Chen Honglei, et al. 1004001
- Method for estimating operating distance of Rosette scan infrared detection system under complex background Li Wentong, Ding Wen, Zhu Mu 1004002
- Effect of the background clutter on the operating range of infrared polarization imaging system Liang Jian'an, Zhao Wanli, Wang Xia, et al. 1004003
- Multivariate calibration model for measurement of 3–5 μm infrared sky brightness Zhao Zhijun, Xu Fangyu, Gao Ling, et al. 1004004
- Study on probability of detection for CFRP laminate defect using infrared thermal wave radar imaging Gong Jinlong, Gai Zhigang, Xie Weihao, et al. 1004005

❖ Optical communication and optical sensing ❖

- Achievable information rate of deep-space laser uplink communication in presence of beam wander effects Liao Huixi, Xu Baobi, Huang Xiaofeng, et al. 1022001
- Beaconless acquisition tracking and pointing of inter-satellite optical communication Guo Aiyan, Gao Wenjun, Zhou Aosong, et al. 1022002
- Stability control system of fiber Mach-Zehnder interferometer based on 3 dB fiber coupler Ye Quanyi, Gao Yingjie, Tian Jin, et al. 1022003
- Critical modulation rate locking under UAV's optical communication to ground Diao Hongxiang, Chang Limin, Tang Yanfeng 1022004
- Power spectrum performance and bit error rate of mixed noise in QPSK modulated optical communication Chen Mu, Ke Xizheng 1022005

❖ Spectrum detection and analysis ❖

- Nonlinear effects of the Fourier transform spectrometer detector and its correction Yang Minzhu, Zou Yaopu, Zhang Lei, et al. 1023001
- Study on the test of rubber soles by X-Ray fluorescent spectrum Jiang Hong, Fan Ye, Wang Jiageng, et al. 1023002

❖ Biological optics ❖

- Light scattering from lung cancer cells and its Polystyrene microsphere models Lin Xiaogang, Zhu Hao, Weng Lingdong, et al. 1033001