



ISSN 0529-1542  
CN 11-1982/S

植物保护 Plant Protection

# 植物保护

## Plant Protection

全国中文核心期刊  
中国科技核心期刊  
RCCSE中国核心学术期刊  
CSCD来源期刊

(110110)第四十六卷第六期(卷终)



(卷终)

Vol.46 No.6 Dec., 2020

ISSN 0529-1542



主办

中国植物保护学会  
China Society of Plant Protection  
中国农业科学院植物保护研究所  
Institute of Plant Protection, CAAS

6

第46卷

2020年12月

目次

专论与综述

警惕检疫性有害生物马铃薯孢囊线虫(*Globodera rostochiensis* 和 *G. pallida*)入侵我国 ..... 彭 焕, 刘 慧, 江 如, 等(1)  
我国甘薯脱毒种薯种苗繁育存在的问题及建议  
..... 张振臣(10)

研究报告

荧光假单胞菌 CZ 菌株定殖及抗病毒活性研究  
..... 曲潇玲, 张俊英, 刘笑玮, 等(14)  
泰安樱桃根癌病致病菌分离及生物型鉴定  
..... 魏艳丽, RYDER Maarten, 李红梅, 等(22)  
粗角梯天牛形态特征与传感器的超微结构  
..... 尹宁娜, 赵昱杰, 赵 宁, 等(30)  
百合新病原菌假短孢弯孢生物学特性及其对杀菌剂的敏感性  
..... 李润根, 卢其能, 何 咪, 等(41)  
滇重楼稻曲拟盘多毛孢叶斑病病原鉴定及其生物学特性测定  
..... 何 翔, 李 翱, 李 楚, 等(47)  
我国河南和甘肃地区梨树根癌病病原菌鉴定  
..... 杨 雯, 张志想, 李世访(55)  
河南省首次发现梨孢镰刀菌引起的小麦赤霉病  
..... 徐 飞, 王俊美, 杨共强, 等(60)  
平贝母鳞茎腐烂病病原菌鉴定和药剂筛选  
..... 王 爽, 李新民, 刘春来, 等(65)  
*PWL* 基因家族在黑龙江省水稻稻瘟病菌中的分布与变异  
..... 孟 峰, 靳学慧, 张亚玲(71)  
瘿蚊科 3 种昆虫核糖体 DNA 的克隆及序列分析  
..... 段 云, 郭 培, 巩中军, 等(77)  
淡翅小花蝽对黄胸蓟马的捕食功能反应与搜寻效应  
..... 邱海燕, 付步礼, 马晓彤, 等(84)  
安徽省稻曲病气象等级预报方法研究—以池州为例  
..... 岳 伟, 伍 琼, 陈 曦, 等(90)  
内生菌荧光假单胞菌 DLJ1 和蜡状芽胞杆菌 SZ5 对南方根结线虫胁迫下辣椒植株抗性与产量品质的影响  
..... 杨亚茹, 茆少星, 闫淑珍, 等(96)  
红棕象甲触角传感器的超微结构  
..... 段云博, 朱晓珍, 叶家桐, 等(103)  
3 种绿肥对黏虫营养生理的影响  
..... 吴菲菲, 张 蕾, 程云霞, 等(111)  
我国草地贪夜蛾应急化学防控风险评估及对策  
..... 潘兴鲁, 董丰收, 芮昌辉, 等(117)  
澧县‘红地球’葡萄表面黑色组曲霉种群结构及产毒情况研究  
..... 页 非, 黄晓庆, 王忠跃, 等(124)  
温度对黄芪根瘤象成虫繁殖与寿命的影响  
..... 刘月英, 罗进仓, 张大为, 等(131)

实验方法与技术

桃褐腐病菌对多菌灵抗性的 AS-PCR 检测技术  
..... 罗 梅, 阴伟晓, 罗朝喜(136)  
环氟菌胺在小麦生态系统中的残留消解及膳食风险评估  
..... 蔡光辉, 马婧玮, 吴艳兵, 等(144)  
根结线虫生防真菌交枝顶孢原生质体的制备与再生体系构建  
..... 姚玉荣, 霍建飞, 郝永娟, 等(149)  
MB 和 CMC 液体培养基对禾谷镰孢产孢水平的影响  
..... 毕亚琪, 王禹贺, 罗泗川, 等(155)

辣椒疫病抗性的浸根接种鉴定方法 ..... 赫 卫, 张 慧(159)  
小麦光腥黑粉菌转化子最适固体培养基的筛选  
..... 李丹丹, 何 婷, 王梦可, 等(164)

研究简报

绿盲蝽越冬卵发育过程的微观观察  
..... 秦华伟, 门兴元, 于 毅, 等(170)  
哈尔滨地区小天蓝绣球白粉病病原菌鉴定  
..... 司修洋, 张 鹏, 刘齐月, 等(175)  
长齿蔗茅品系‘云滇 95-19’和‘云滇 95-20’抗褐锈病的遗传分析  
..... 张荣跃, 李文凤, 黄应昆, 等(178)  
硬枝黄蝉乙醇提取物中抑制胡椒瘟病菌活性成分研究  
..... 苟亚峰, 胡林峰, 曾 焯, 等(183)

调查研究

1987 年—2018 年我国小麦主要病虫害发生危害及演变分析  
..... 黄 冲, 姜玉英, 李春广(186)  
柑橘喷施叶面肥对柑橘木虱、柑橘潜叶蛾和炭疽病发生的影响  
..... 刘 喆, 岑伊静, 许 鑫, 等(194)  
不同栽培模式茶园黑刺粉虱发生规律  
..... 陈 敏, 王洪涛, 王丽丽, 等(198)  
东北地区水稻种质资源抗纹枯病研究初报  
..... 杨晓贺, 魏松红, 顾 鑫, 等(205)  
中国芒果炭疽病菌复合种对苯醚甲环唑敏感性测定  
..... 郭珍妮, 唐利华, 黄穗萍, 等(209)  
海南省蔬菜根结线虫发生种类与分布  
..... 李周容, 龙海波, 孙燕芳, 等(213)  
广西芒果树叶片苔藓发生情况调查及药剂筛选试验  
..... 陈永森, 李日旺, 黄国弟, 等(217)  
2019 年草地贪夜蛾在陕西省汉中市的发生为害情况调查  
..... 余正军, 范晓培, 王清文, 等(223)

技术与应用

4 种生物源杀线剂对番茄根结线虫的田间防效  
..... 刘晓宇, 陈立杰, 邢志富, 等(228)  
麦田布顿大麦草的化学防除药剂筛选  
..... 徐洪乐, 樊金星, 王 丽, 等(233)  
硅藻土对 5 种储粮害虫和不同磷化氢抗性水平杂拟谷盗防治效果的研究  
..... 孟宏杰, 张 婷, 陈二虎, 等(240)  
太阳能消毒与植物根际促生菌(PGPR)联合对黄瓜根腐病的防治效果  
..... 贺字典, 苏长青, 高云飞, 等(246)  
11%精甲·咯·啞菌悬浮种衣剂防治水稻立枯病和恶苗病效果研究  
..... 饶 镭, 邱 蝶, 李保同(254)  
青花菜根肿病田间防治技术研究  
..... 周晓肖, 李伟龙, 蒋 芯, 等(259)  
麦田入侵杂草小籽藨草对麦田常用除草剂的敏感性测定  
..... 杨肖艳, 刘红斌, 李 铷, 等(264)  
棉蚜和棉长管蚜对 3 种杀虫剂的敏感性比较  
..... 丁建朋, 韩 英, 韩 旭, 等(270)  
多杀霉素与茚虫威混配对草地贪夜蛾的增效作用  
..... 李秀霞, 张 锦, 高 全, 等(276)  
防除宽叶酢浆草除草剂的室内生物活性评价  
..... 杨肖艳, 吴兴仙, 严牙丽, 等(279)  
封面照片 林荫鼠尾草 *Salvia nemorosa* ..... 王音摄  
广 告 中保科技(封二); 中捷四方(封三)  
其 他 表彰奖励(9)

CONTENTS

Potential invasion of the potato cyst nematode *Globodera rostochiensis* and *G. pallida* into China  
..... PENG Huan, LIU Hui, JIANG Ru, et al(1)

Problems and suggestions for breeding of virus-free sweet potato seeds in China ..... ZHANG Zhenchen(10)

Colonization of *Pseudomonas fluorescens* strain CZ and its antiviral activity ..... QU Xiaoling, ZHANG Junying, LIU Xiaowei, et al(14)

Identification and characterization of pathogenic bacteria isolated from crown galls on cherry trees in Tai'an  
..... WEI Yanli, RYDER Maarten, LI Hongmei, et al(22)

Morphological characteristics of *Pharsalia antennata* and its sensilla ultrastructure  
..... YIN Ningna, ZHAO Yujie, ZHAO Ning, et al(30)

The biological characteristics of *Curvularia pseudobrachyspora*, a new causal agent of lily leaf spot, and its sensitivity to fungicides  
..... LI Rungen, LU Qineng, HE Mi, et al(41)

Pathogen identification and biological characteristics of *Paris polyphylla* var. *yunnanensis* leaf spot disease caused by  
*Pestalotiopsis oryzae* ..... HE Xiang, LI Ao, LI Chu, et al(47)

Identification of pathogens of pear crown gall in Henan and Gansu provinces of China  
..... YANG Wen, ZHANG Zhixiang, LI Shifang(55)

Occurrence of *Fusarium poae* from wheat heads with Fusarium head blight in Henan province of China  
..... XU Fei, WANG Junmei, YANG Gongqiang, et al(60)

Identification of the pathogen of the bulb rot of *Fritillaria ussuriensis* and screening of the fungicides  
..... WANG Shuang, LI Xinmin, LIU Chunlai, et al(65)

Distribution and variability of *Magnaporthe oryzae* *PWL* gene family in Heilongjiang province  
..... MENG Feng, JIN Xuehui, ZHANG Yaling(71)

Cloning and sequence analysis of ribosomal DNAs from three species of the Cecidomyiidae family  
..... DUAN Yun, GUO Pei, GONG Zhongjun, et al(77)

Functional response and searching efficiency of *Orius tantillus* against *Thrips hawaiiensis*  
..... QIU Haiyan, FU Buli, MA Xiaotong, et al(84)

Forecasting methods for meteorological grading of the rice false smut in Anhui province; Chizhou city as a case study  
..... YUE Wei, WU Qiong, CHEN Xi, et al(90)

Effects of endophytes DLJ1 (*Pseudomonas fluorescens*) and SZ5 (*Bacillus cereus*) on the resistance, yield and quality of pepper  
plants under the stress of *Meloidogyne incognita* ..... YANG Yaru, MAO Shaoxing, YAN Shuzhen, et al(96)

Ultrastructure of antennal sensilla of *Rhynchophorus ferrugineus* (Olivier) ..... DUAN Yunbo, ZHU Xiaozhen, YE Jiatong, et al(103)

Effects of three green manures on nutritional physiology of *Mythimna separata*  
..... WU Feifei, ZHANG Lei, CHENG Yunxia, et al(111)

Risk assessments and countermeasures of emergency chemical prevention and control of fall armyworm  
(*Spodoptera frugiperda*) in China ..... PAN Xinglu, DONG Fengshou, RUI Changhui, et al(117)

Population structure and toxigenicity profiling of *Aspergillus* section *Nigri* on the surface of grape 'Red Earth' in Lixian county  
..... YE Fei, HUANG Xiaoqing, WANG Zhongyue, et al(124)

Effects of temperature on the reproduction and longevity of adult *Sitona similimus* (Coleoptera:Curculionidae)  
..... LIU Yueying, LUO Jincang, ZHANG Dawei, et al(131)

An allele-specific PCR for detecting the carbendazim resistance in *Monilinia fructicola* ..... LUO Mei, YIN Weixiao, LUO Chaoxi(136)

Dissipation, residues and dietary risk assessment of cyflufenamid in a wheat ecosystem  
..... CAI Guanghui, MA Jingwei, WU Yanbing, et al(144)

|                                                                                                                                                                                 |                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Preparation and regeneration of protoplasts from the biocontrol fungus <i>Acremonium implicatum</i>                                                                             | YAO Yurong, HUO Jianfei, HAO Yongjuan, et al(149)    |
| Effects of MB and CMC growth media on the sporulation of <i>Fusarium graminearum</i>                                                                                            | BI Yaqi, WANG Yuhe, LUO Sichuan, et al(155)          |
| Identification of the resistance to <i>Phytophthora capsici</i> in pepper by using the root-soaking inoculation method                                                          | HE Wei , ZHANG Hui (159)                             |
| Optimization of the medium for growth of transformants of <i>Tilletia foetida</i>                                                                                               | LI Dandan, HE Ting, WANG Mengke, et al(164)          |
| Microscopic observation on the development process of overwintering eggs of <i>Apolygus lucorum</i>                                                                             | QIN Huawei, MEN Xingyuan, YU Yi, et al(170)          |
| Identification of the pathogen causing <i>Phlox drummondii</i> powdery mildew in Harbin                                                                                         | SI Xiuyang, ZHANG Peng, LIU Qiyue, et al(175)        |
| Genetic analysis on the resistance of <i>Saccharum longesetosum</i> ‘Yundian 95-19’ and ‘Yundian 95-20’ to sugarcane brown rust                                                 | ZHANG Rongyue, LI Wenfeng, HUANG Yingkun, et al(178) |
| Analysis of the inhibitory active components of <i>Allemanda nerii folia</i> Hook. by ethanol extraction against <i>Phytophthora capsici</i>                                    | GOU Yafeng, HU Linfeng, ZENG Xuan, et al(183)        |
| Occurrence, yield loss and dynamics of wheat diseases and insect pests in China from 1987 to 2018                                                                               | HUANG Chong, JIANG Yuying, LI Chunguang(186)         |
| Influence of different foliar fertilizers applying in citrus on citrus psyllid <i>Diaphorina citri</i> , citrus leaf miner <i>Phyllocnistis citrella</i> and citrus anthracnose | LIU Zhe, CEN Yijing, XU Xin, et al(194)              |
| Occurrence regularity of <i>Aleurocanthus spiniferus</i> in tea plantations under different cultivation patterns                                                                | CHEN Min, WANG Hongtao, WANG Lili, et al(198)        |
| A preliminary report on resistance of rice germplasm resources in the northeast of China to rice sheath blight disease                                                          | YANG Xiaohu, WEI Songhong, GU Xin, et al(205)        |
| Sensitivity of <i>Colletotrichum</i> species complex isolated from mango to difenoconazole in China                                                                             | GUO Zhenni, TANG Lihua, HUANG Suiping, et al(209)    |
| Occurrence and distribution of the root-knot nematode species in vegetables in Hainan province                                                                                  | LI Zhoulong, LONG Haibo, SUN Yanfang, et al(213)     |
| Occurrence investigation of the mango leaves moss in Guangxi and its pesticide trial                                                                                            | CHEN Yongsan, LI Riwan, HUANG Guodi, et al(217)      |
| Investigation of the occurrence and damage of <i>Spodoptera frugiperda</i> in Hanzhong city, Shaanxi province in 2019                                                           | YU Zhengjun, FAN Xiaopei, WANG Qingwen, et al(223)   |
| Field efficacy of four bio-nematicides against tomato root-knot nematodes                                                                                                       | LIU Xiaoyu, CHEN Lijie, XING Zhifu, et al(228)       |
| Screening of herbicides against invasive weed <i>Hordeum bogdanii</i> in wheat field                                                                                            | XU Hongle, FAN Jinxing, WANG Li, et al(233)          |
| Control effect of diatomaceous earth on five stored grain pests and <i>Tribolium confusum</i> with different phosphine resistance levels                                        | MENG Hongjie, ZHANG Ting, CHEN Erhu, et al(240)      |
| Control effect of soil solarization combined with plant growth promoting rhizobacteria (PGPR) on cucumber root rot                                                              | HE Zidian, SU Changqing, GAO Yunfei, et al(246)      |
| Efficacy of metalaxyl-M • fludioxonil • azoxystrobin 11% FSC on the controlling of rice blight and bakanae diseases                                                             | RAO Lei, QIU Die, LI Baotong(254)                    |
| Study on technology of controlling <i>Plasmodiophora brassicae</i> on broccoli in field                                                                                         | ZHOU Xiaoxiao, LI Weilong, JIANG Xin, et al(259)     |
| Examining the sensitivity of the invasive weed <i>Phalaris minor</i> to the herbicides applied in the wheat field                                                               | YANG Xiaoyan, LIU Hongbin, LI Ru, et al(264)         |
| Sensitivity of <i>Aphis gossypii</i> and <i>Acyrtosiphon gossypii</i> to three insecticides                                                                                     | DING Jianpeng, HAN Ying, HAN Xu, et al(270)          |
| Synergistic effect of spinosad and indoxacarb mixture on <i>Spodoptera frugiperda</i> (J. E. Smith)                                                                             | LI Xiuxia, ZHANG Jin, GAO Quan, et al(276)           |
| Evaluation of biological activity of herbicides to <i>Oxalis latifolia</i> in greenhouse                                                                                        | YANG Xiaoyan, WU Xingxian, YAN Yali, et al(279)      |